INDEX TO VOLUME 53

New names and the final members of new combinations are in **bold face type.**

Abnormalities in Botrychium and certain other ferns (plate 9) 279
Acacia 135; paucispina 133
Acer 185; Negundo 395; Osmonti 406; saccharum 406
Actinomyces chromogenus 441
Additions to the genus Lycianthes (Dunal) Hassler, 209, 302
Aechmea 467
Ailanthus 389, 390
Alisma 20
Allenrolfea occidentalis 185
Allium 323, 358, 359, 365, 366; Cepa 347, 362, 364
Alnus corrallina 404, 409; rhombifolia 404, 409; rugosa 404; viridis 404
Amaranthus 12
Ambrosia 480
Amsinckia 133
Andropogon virginicus 457; virginicus **graciliformis** 457
Anemia 285–287; adiantifolia 287; aurita 287; cuneata 287; millefolia 287
Anthemideae, Pollen grain morphology in the classification of the, 479
Antipodal tissue in the development of the seed of maize, Persistence of the, 381
Aralia 407, 408; hispida 306; racemosa 306
Arisaema Dracontium 191
Aristida Pradana 458
Artemisia 481–485
Artemisiastrum 481, 483, 484, 485
Artocarpus 407, 408
Asclepias subulata 131
ASHE, W. W. Notes on Tilia, 27
Asimina triloba, 405
Aspidosperma 602; lucentivenium 602, 604; **Cuspa** 603, 604; sessiliflorum 603, 604; Vargasii 603, 604
Association, The individualistic concept of the plant, 7
Aster crocatus 218
Asteraceae, Bertoloni's Guatemalan, 215
Astragalus 161; angelinus 165, 166; brazoensis 166; Breweri 165; carnosus 161; caryocarpus 162, 164; catalinensis 169; crassicarpus 161–163; crassicarpus pachycarpus 163; didymocarpus 168, 169; diphacus 166; dispermus 168; Elmeri 168; mexicanus 162, 163; oxyrhynchus 165, 166; nigrescens 168; pachycarpus 164; physodes 161, 162; plattensis 163, 164; prunifer 162; reflexus, 165; succulentus 162; trichocalyx 162, 163
Aristida divaricata 458
Artemisia chinensis 481
Atriplex 130; patula 305; rosea 35; **virgata** 35
Atropa 209
Auliza nocturna 186

Bacillus anglomerans 513; subtilis 513
Bacterium tumefaciens 392
Barnhartia 297, 299; **floribunda** 297
Bartonia paniculata 307; virginica 307
Bassovia 209; Fendleri 210; ferruginea 210, 302
BERRY, EDWARD W. Terminalia in the lower Eocene of southeastern North America, 59
Bertoloni's Guatemalan Asteraceae 215
Betula 185
Bidens canescens 217; squarrosa 217, 218
BLAKE, S. F. Bertoloni's Guatemalan Asteraceae, 215; The identity of 'cuspa' (Conoria? Cuspa H. B. K.) 601
BLIZZARD, ALPHEUS W. The nuclear phenomena and life history of Urocystis Cepulae (plates 1–4) 77
Botanical problems of tropical agriculture, 67
Botrychium and certain other ferns, Abnormalities in, 279
Botrychium cicutarium 285; dissectum 282; lanuginosum 283, 286; Lunaria 279, 282, 284; matricariaefolium 283; neglectum 282, 285; obliquum 279, 280, 283, 284; obliquum dissectum 283; silaifolium 282, 285; virginianum 279–281, 283, 286

Brachistus 209, 212. 302; coccineus 210; hispidus 210; lasiophyllus 211; leptocaulis 210; Sanctae Caroli 213
Brachyelytrum erectum 304
BRITTON, NATHANIEL LORD. Studies of West Indian plants—XIII. 457
Bumelia loranthifolia 462; **Roigii** 461, 462
Bunchosia Leonis 460; **linearifolia** 460
Burdachia 290; prismatocarpa 290; sphaerocarpa 290
Byrsonima motembensis 460

Cacalia cuspidata 218
Cacoucia 63
Callicarpa acuminata 463; **Roigii** 463
Calamagrostis canadensis 22
California, Desert of Baja, 129
Cannabis 195; sativa 195
Capsicum 209, 505
Capsules, seed, and seedlings of the tiger lily, Lilium tigrinum. The, 269
Carduus cernuus 218
Carex 303; anceps 305; Collinsii 305; laevi-vaginata 305; pallescens 305; Shriveri 304; stipata 305; Wildenovii 305
Carnegiea gigantea 135
Carpolithus prangosoides 61
Castanea pumila 405
Catalpa 390, 392; speciosa 389
Cedrus Libani 568
Centaurea 481
Cephalanthus 22
Cercocarpus 12
Chamaesarcha 209
Chamartemisia 481–485
Changes in plastids in variegated plants, 411
Chara, Nuclear and cell division in Nitella and. 319
Chara aspera 320, 330; coronata 322, 330; crinita 330, 332; crinita bivalens 330; foetida 320, 321, 325; fragilis 320–322, 327, 329, 330, 332, 337; galioides 330; gracilis 319; hispida 319, 320; jubata 320; verrucosa 327; vulgaris 319
Chenopodium murale 510, 513
Chimarrhis microcarpa 471
Chloris Morales-Coelloi 458; Sagraeana 459
Chorizanthe 133
CHRYSLER, M. A. Abnormalities in Botrychium and certain other ferns (plate 9) 279
Chrysophyllum 407–409; Cainito 407
Cineraria acutangula 218
Cinnamomum 405–407, 409
Cintractia Montagnei 79, 110
Classification of the Anthemideae, Pollen grain morphology in the, 479
Clinopodium vulgare 307
Closterium 328
Coccolobis quadrifida 467
Coleus 387, 584
Colorado, New plants from, 35
Columnea aripoensis 470; scandens 470; **tocoensis** 470
Combretiphyllum 64
Combretum 63; **brunnescens** 291; **fulgens** 292; **fusiforme** 292; Jacquinii 292; laxum 292; nitidum 293; Sprucei 292
Conductivity of the leaf tissue fluids of phanerogamic epiphytes, The specific electrical, 183
Conocarpites 63
Conocarpus 63
Conoria ? Cuspa 601–604
Contributions to the flora of Long Island, New York—Fourth paper 303
Copromyxa 230, 235
Coreopsis trifoliata 215, 218
Cornus Nuttallii 406
Corylus 404
Covillea 131, 133, 135; tridentata 132
Crossostephium 482–485; artemisioides 481
Cryptanthe 133
Cucurbita 358
Cuscuta 185, 303; Coryli 307; Gronovii latifolia 307; Gronovii vulvivaga 307; Polygonorum 307
'Cuspa' (Conoria ? Cuspa H. B. K.) The identity of, 601
Cusparia trifoliata 603
Cybianthus Brownii 293; venezuelanus 294
Cyphomandra 209
Cytological study of the leaves and growing points of healthy and mosaic diseased tobacco plants, A, 499

Datura 203, 505; Stramonium 505
DAYTON, WILLIAM A. On Lupinus fraxinetorum Greene (plate 5), 157
Desert of Baja California, The, 129
Diapedium aripoense 470
Diclidanthera 299
Dictyostelium, Morphogenesis in, 229
Dictyostelium mucoroides 229–268
Diervilla 389
Diodia teres 308
Distichlis spicata 134
Doassansia Sagittariae 103, 108
Dodonaea 61

Dodonaea 61
Drosera filiformis 305
Dryopteris hexagonoptera 303

Echinocactus cylindraceus 132
Ecological study of certain ferns: Pellaea atropurpurea (L.) Link and Pellaea glabella Mettenius, An, 1
Elapjrium Macdougalii 134, 135; microphyllum 134, 135
Elatine minima 305
Eleocharis Robbinsii 304
Elsota coriacea 468; **lophosoma 467,** 468; sylvestris 468
Encelia 135; farinosa 134; (? Simisa) sericea 217
Encyclia tampense 185, 186
Entyloma 78; Nymphaeae 79
Eocene of southeastern North America, Terminalia in the lower, 59
Epidendrum cochleatum 186
Epilobium angustifolium 23
Epipactis 358
Epiphytes, The specific electrical conductivity of the leaf tissue fluids of phanerogamic, 183
Equisetum arvense 206
Ethylene gas, The production of intumescences upon apple twigs by, 385
Eupatorium pubescens 308

Fabaceae—VIII, Notes on, 161
Fagus 185
Falcata Pitcheri 305
FERGUSON, WILLIAM C. Contributions to the flora of Long Island, New York—Fourth paper, 303
Ferns, Abnormalities in Botrychium and certain other, 279
Ferns: Pellaea atropurpurea (L.) Link and Pellaea glabella Mettenius, An ecological study of, 1
Ferocactus acanthodes 132, 133, 135
Ficus 407, 408
Flora of Long Island, New York—Fourth paper, Contributions to the 303
Flora of northern South America—IX, Studies on the, 289
Flora of the Miocene of the Tesla region, California; Notes on the 403
Forsythia 395
Fouquiera 135; peninsularis 129
Frankenia Palmeri 132
Franseria 135, 480; dumosa 132, 133
Fraxinus 407; denticulata 407; heerendensis 407; oregonensis 406, 407, 410
Fusarium 441

Geoprumnon crsssicarpum 161, 162, 164; mexicanum 161–164; pachycarpum 161, 164; plattense 161, 163, 164; succulentum 161, 162; tennesseense 161, 164; **trichocalyx** 161, 163
Gilia 133
Ginkgo 191; biloba 395, 398
Glandonia 290
GLEASON, H. A. Studies on the flora of northern South America—IX, 289; The individualistic concept of the plant association, 7
Gleditsia 185, 389
Gnaphalium rhodanthum 217; salicifolium 216, 217
GOLDSTEIN, BESSIE. A cytological study of the leaves and growing points of healthy and mosaic diseased tobacco plants (plates 18–29) 499
Gonium 230, 235
Gratiola neglecta 307; virginica 307
Gravisia aquilega 467; **aripensis** 466
Guatemalan Asteraceae, Bertoloni's 215
Gymnosporangium 392
Gyrotheca tinctoria 305

Halesia 295
HARPER, R. A. Morphogenesis in Dictyostelium (plates 6–8) 229
HARRIS, J. ARTHUR. The specific electrical conductivity of the leaf tissue fluids of phanerogamic epiphytes, 183
HEIN, ILLO. Changes in plastids in variegated plants (plate 17) 411
Helenium autumnale 308
Helianthus annuus 387; longeradiatus 217
Helichrysum salicifolium 216, 217
Helleborus 358
Hesperastragalus 165; **brazoensis** 166; **catalinensis** 167–169; compactus 167, 168; didymocarpus 167, 168; **diphacus** 166; dispermus 166, 167; **Elmeri** 167, 168; Gambellianus 167, 168; **Milesianus** 167, 169; **obispensis** 166, 167; **oxyrhynchus** 165; **reflexus** 165, 166
Heteropogon contortus 132
Hevea 69
Hibiscus 389, 390
Hippeastrum 499
Hippuris 550
Hulsea nana 159, 160; Newberryi 160
Hydrocotyle americana 306; umbəlata 306
Hydrodictyon 230, 235

Hymenoclea 480
Hyoscyamus 209
Hypopitys americana 306; insignata 306; lanuginosa 306

Icacorea baracoensis 461
Identity of 'cuspa' (Conoria ? Cuspa H. B. K.), The, 601
Idria columnaris 129
Ilysanthes dubia 307; inaequalis 308
Index to American botanical literature, 37, 119, 171, 219, 309, 419, 487, 611, 651
Individualistic concept of the plant association, The, 7
Injury, Respiration of potato tubers after, 429
Iris versicolor 20
Irmischia 469
Isocoma veneta 131

Jacquemontia elongata 470; pentantha 470
Juncus aristulatus 305; articulatus 305; effusus 20
Juglans 185; cinerea 395

KARLING, JOHN S. Nuclear and cell division in Nitella and Chara (plates 10–13) 319
Krameria 135

Laguncularia 63
Larix 335, 358
Laurus 405, 409; grandis 405, 407; princeps 405, 407
Lemaireocereus eruca 129
Leucocroton pallidus 461; saxicola 461
Lilium auratum 273; Batemanniae 272; canadense 273; candidum 273; chalcedonicum 273; Davidii 276; davuricum 273; davuricum Wallacei 271, 272; elegans 272; Henryi 273, 278; Humboldtii 273; Leichtlinii 271, 272, 273; longiflorum 278; Martagon 274; Maximowiczii 271, 272, 274, 276; pseudotigrinum 272; regale 278; Roezlii 273; speciosum 273, 276, 278; speciosum × tigrinum 274; superbum 273, 278; sutchuenense 270, 271, 272; tenuifolium 276, 278; tigrinum 269–278; tigrinum flore-pleno 276; tigrinum Fortunei 276; tigrinum Lishmanni 275; tigrinum splendens 276; tigrinum × elegans Wallacei 274; tigrinum × Leichtlinii 271; tigrinum × Maximowiczii 273; tigrinum × warleyense 273; umbellatum, 273; warleyense 271, 272, 276; Willmottiae 273
Liquidambar 407, 408
Lissocarpa 295; Benthami 295–297; **guianensis** 296, 297
LIVINGSTON, BURTON E. The present crisis in plant physiology, 623
Lobelia Dortmanna 308
Long Island, New York, Contributions to the flora of—Fourth paper 303
Lophocereus Schottii 135
Lupinus fraxinetorum Greene, On (plate 5), 157
Lupinus fraxinetorum 157–160; fraxineus 157–160; leucophyllus 157, 158
Lupulus japonicus 195
LUTMAN, B. F. Respiration of potato tubers after injury, 429
Lycianthes (Dunal) Hassler, Additions to the genus, 209, 302
Lycianthes 209, 302; **coccinea** 210; **Fendleri** 210; ferruginea 210, 302; **Herbert-Smithii** 213; **hispida** 210, 212; **leptocaulis** 210; **polycarpa** 212; **pyrifolia** 212; **recticarpa** 210; **reflexa** 211; **rufinervia** 302; **tomentella** 211
Lycium 209
Lycopodium carolinianum 307; lucidulum 303
Lycoseris crocata 218; squarrosa 218

Maba Grisebachii 462; **Leonis** 462
Macradenia lutescens 186
Magnolia 59, 60, 191, 407, 408
Maize, Persistence of the antipodal tissue in the development of the seed of, 381
MANUEL, MILDRED E. (with F. L. PICKETT). An ecological study of certain ferns: Pellaea atropurpurea (L.) Link and Pellaea glabella Mettenius, 1
Marsilea oligospora 473, 474, 475, 476; vestita 473, 476, 478
Marsileas of the western United States, The, 473
Meibomia laevigata 305
Metastelma 470; **Freemani** 468, 469; parviflorum 469
Miltitzia pinnatifida 35
Mimosa 434
Miocene of the Tesla region, California; Notes on the flora of the, 403
Morphogenesis in Dictyostelium, 229

Mosaic diseased tobacco plants, A cytological study of the leaves and growing points of healthy and, 499
Mucor 230, 232; Mucedo 93
Muhlenbergia sobolifera 304

Nature and cause of secondary sexual states with special reference to Typha, The, 189
Nemalion 327
Neobracea angustifolia 462; bahamensis 462
New plants from Colorado, 35
Nicotiana glauca 505; glutinosa 505; macrophylla 501; rustica 501; Tabacum 499–599
Nitella and Chara, Nuclear and cell division in, 319
Nitella flexilis 319, 321, 362; gracilis 322, 329, 330–333, 338, 339, 374–376; opaca 321; syncarpa 320, 321, 325, 329, 330
Nolina 129
Notes on Fabaceae—VII, 161
Notes on the flora of the Miocene of the Tesla region, California, 403
Notes on Tilia, 27
Nuclear phenomena and life history of Urocystis Cepulae, The 77
Nuclear and cell division in Nitella and Chara, 319

Odontonema macrophyllum 300; Schomburgkianum 301
Oedogonium 200, 203
Olneya 133, 135; tesota 132
Oncidium undulatum 186
Onoclea 287; sensibilis 286; Struthiopteris 286
Ophioglossum 281
Opuntia Bigelovii 135; echinocarpa 131, 133; fulgida 135; ramosissima 131, 135
Orochis 358
ORTON, W. A. Botanical problems of tropical agriculture, 67
Osmunda 285, 287; cinnamoea 286; cinnamomea frondosa 286; Claytoniana 285, 286; javanica 285; regalis 285, 286
OSTERHOUT, GEORGE E. New plants from Colorado, 35
Oxycoccus Oxycoccus 306, 307
Oxypolis rigidior 306

Pachyanthus Clementis 461; **Lunana** 461
Pachycereus Pringlei 134, 135
Panicum 505; amarum 304; Bicknellii 304; commutatum 304; latifolium 304; longifolium 304; Wrightianum 304
Paralabatia dictyoneura 471; **portoricensis** 471
Parascopolia 209
Parkinsonia 131, 133, 135; Torreyana 132, 133
Parosela spinosa 133
Paspalum hydrophyllum 457; **motembense** 457; Wrightii 457
Pediastrum 230, 235
Pedilanthus ierensis 468; tithymaloides 468
Pellaea atropurpurea (L.) Link and Pellaea glabella Mettenius, An ecological study of certain ferns: 1
Pellia 359
Peperomia obtusifolia 186; **Roigana** 459
Persea 405, 408, 409; alpigena 405, 407, 410; Borbonia 405, 407
Persistence of the antipodal tissue in the development of the seed of maize, 381
Philonotis 548
Philotria Nuttallii 304
Phycomyces nitens 93
Physalis 505; Alkekengi 510
Physiological values of salt solutions as indicated by growth of wheat roots, Relation of temperature to the, 605
Physiology, The present cirsis in plant, 623
Phytophthora infestans 441
PICKETT, F. L., & MILDRED E. MANUEL. An ecological study of certain ferns: Pellaea atropurpurea (L.) Link and Pellaea glabella Mettenius, 1
Picrothamnus 481, 483, 484, 485
Pinus Strobus 11
Piper maraccasense 467
Plantago 133; decipiens 308; gibbosa 308; juncoides decipiens 308; maritima 308; oliganthos 308
Plasmodiophora Brassicae 587
Plastids in variegated plants, Changes in, 411
Platanus 185; dissecta 406, 407; racemosa 406, 410
Pluchea sericea 130
Pollen grain morphology in the classification of the Anthemideae, 479
Polyspondylium 230, 235, 256, 264, 265
Polystichum 285
Populus alba 403, 407; candicans 391; deltoides 388, 390, 395, 396,

401; Macdougali 130; polymorpha 403; tremuloides 395, 404
Potato tubers after injury, Respiration of, 429
Present crisis in plant physiology, The, 623
Prestonia 300; guianensis 299
Problems of tropical agriculture, Botanical, 67
Production of intumescences upon apple twigs by ethylene gas, The, 385
Prosopis 133; glandulosa 130, 132, 134; velutina 134
Prunus demissa 406, 410; virginiana 395
Psilocarya nitens 304
Ptelea 61
Ptiloria Bigelovii 36
Pyrus ioensis 395, 398, 401; Malus 395, 398, 401

Quercus 185; chrysolepis 405; Kelloggii 404, 405; pseudo-lyrata 404

Relation of temperature to the physiological values of salt solutions as indicated by growth of wheat roots, 605
Respiration of potato tubers after injury, 429
Ricinus 389; communis 392
Rinorea Cuspa 602
Robinia 185
Rondeletia camarioca 465; correifolia 466; Ekmanii 465; **gaultherioides** 465; **ingrata** 465; **myrtacea** 464; Norlindii 465
Rubus strigosus 23
Rumex crispus 510, 514
RUSBY, H. H. Additions to the genus Lycianthes (Dunal) Hassler 209;—A Correction, 302
RYDBERG, PER AXEL. Notes on Fabaceae—VII, 161

Sagittaria 20
Salix 185, 201, 404; lasiolepis 405; longifolia 395; pentandra 391; purpurea 391; vitellina 391
Salt solutions as indicated by growth of wheat roots, Relation of temperature to the physiological values of, 605
Salt solutions as indicated by growth of wheat roots, Toxicity and antagonism in, 137
Sambucus 392, 397, 401; canadensis 395; racemosa 23
Sanicula gregaria 306
SCHAFFNER, JOHN H. The nature and cause of secondary sexual states with special reference to Typha, 189
Scirpus validus 20
Scleria reticularis 304
Scopolia 209
SCOTT, FLORA MURRAY. Notes on the flora of the Miocene of the Tesla region, California (plate 16) 403
Securidaca tenuifolia 468
Senecio acutangulus 218; cuspidatus 218; Godmanii 218
Setiscapella cleistogama 308; subulata 308
SHREVE, FORREST. The desert of Baja California, 129
Simmondsia 135
Simsia sericea 217
Solanum 209; aculeatissimum 499, 510, 562, 568, 587; Gundlachii 464; **lomensis** 464; Melongena 504; nigrum 505; Sprucei 212
Solidago speciosa 308
Sophia 35; **glandifera** 35
Sophora sericea 162
Sorosporium Reilianum 94, 95
South America—IX, Studies on the flora of northern, 289
Sparganium eurycarpum 303
Spartina patens caespitosa 304
Spathiger rigidus 186
Specific electrical conductivity of the leaf tissue fluids of phanerogamic epiphytes, The, 183
Sphaerocarpus 203, 204
Sphaeromeria 481, 482, 484, 485
Sphaeroplea 327
Sphenopholis obtusata 304
Spirogyra 327, 358
Spirostachys occidentalis 132
Sporobolus cryptandrus 304
STASON, MARGARET. The Marsileas of the western United States, 473
Stevia arachnoidea 216; polycephala 216
Stipa avenacea 304
STOUT, A. B. The capsules, seed, and seedlings of the tiger lily, Lilium tigrinum, 269
Studies of West Indian plants—XIII, 457
Studies on the flora of northern South America—IX, 289
Suaeda Moquini 514
Syringa 389, 390, 392, 395

Tanacetum 482, 483–485; camphoratum 481; chinensis 481

Terminalia in the lower Eocene of southeastern North America, 59
Terminalia 59–65; Brownei 62; Catappa 60; Darlingii 62; Hilgardiana 60, 64; Lesleyana 61, 64; **vera** 61, 63; Wilcoxiana 60, 64
Terminaliphyllum 63
Tesla region, California; Notes on the flora of the Miocene of the, 403
Tetrapodenia 289, 290; **glandifera** 289, 291
Thalesia uniflora 308
Thyrsacanthus Schomburgkianus 301
Tiger lily, Lilium tigrinum; The capsules, seed, and seedlings of the, 269
Tilia, Notes on 27
Tilia alabamensis 27; alba 28, 29, 30; americana 28, 29; apposita 33; australis 27, 31; canadensis 28; caroliniana 33; Cocksii 27; crenoserrata 27; eburnea 31–33; **eburnea lasioclada** 31–33; floridana 27; georgiana 33; glabra 27; heterophylla 29, 30, 31, 32, 33; heterophylla Michauxii 30; heterophylla nivea 32, 33; heterophylla **tenera** 30, 32; lasioclada 31; **lata** 30, 33; laxiflora 28; leucocarpa 27; Michauxii 28, 29, 32, 33; monticola 30; neglecta 29, 32, 33; porracea 27, 32, 33; pubescens 28; tenera 30; venulosa 27
Tillandsia aloifolia 185, 186; fasciculata 184, 185, 186; tenuifolia 185, 186; utriculata 185, 186
Tilletia 78; Caries 78; Tritici 79, 87, 94, 108, 110
Tiniaria cilinodis 305
Tithonia longeradiata 217; scaberrima 217
Tobacco plants, A cytological study of the leaves and growing points of healthy and mosaic diseased, 499
Torrubia cuspidata 460; **Leonis** 459
Tounatea caribaea 460; **cubensis** 460
Tournefortia bicolor 436; **Leonis** 463; **Roigii** 462; volubilis 463
Toxicity and antagonism in salt solutions as indicated by growth of wheat roots, 137
Tradescantia 323, 354, 358, 364; viridis 365
Tragopogon pratensis 109
TRELEASE, HELEN M. (see TRELEASE S. F.) 137, 605
TRELEASE, SAM F., & HELEN M. TRELEASE. Relation of temperature to the physiological values of salt solutions as indicated by growth of wheat roots, 605; Toxicity and antagonism in salt solutions as indicated by growth of wheat roots, 137
Tropical agriculture, Botanical problems of, 67
Typha 20, 403; angustifolia 20, 192; latifolia 20, 192, 195

Ulmus 389
Umbellularia 405, 407; californica 405
Urocystis Cepulae, The nuclear phenomena and life history of, 77
Urocystis 78; Anemones 79, 87–90, 95, 103–107, 109; Cepulae 77–117; Colchici 104; Filipendulae 88–90; magica 107; occulta 88–90, 104; Tritici 87–90; Violae 79, 87, 89, 90, 104–107
Ustilago Carbo 79; hypodytes 108; levis 79; longissima 109; Maydis 77, 79, 103, 108, 109; striaeformis 103; Tragopogonis 109; violacea 110; Zeae 79, 94, 108, 109

Vaccinium caesariense 306
Vanilla 184, 186
Variegated plants, Changes in plastids in, 411
Verbesina argentea 217
Vesicarpa 481, 483, 484, 485
Viburnum cassinoides 12
Vicia 323, 358, 365, 366; Faba 362, 364, 387
Viola emarginata 306; fimbriatula 306; sagittata 306

WALLACE, RAYMOND H. The production of intumescences upon apple twigs by ethylene gas (plates 14, 15) 385
Washingtonia Claytoni 306; longistylis 306
WEATHERWAX, PAUL. Persistence of the antipodal tissue in the development of the seed of maize 381
Weigeltia Schomburgkiana 295; **sylvatica** 294, 295
West Indian plants—XIII, Studies of, 457
WODEHOUSE, R. P. Pollen grain morphology in the classification of the Anthemideae, 479

Xanthium 480

Zea Mays 381, 387
Zygnema 327